

Technical Bulletin

	☐ Place a copy of this bulletin in the front of each Blueprints Manual.☐ Redline drawings as needed and include a TB reference note.☐ Document TB implementation schedule request and completion:						TB Number: Date Issued:		097- <mark>SA</mark> Oct 3, 2014	
Date Scheduled			Date Completed				Expiration	n Date:	None	
	Completed by (name)									
	Subject/Key Words:	Lock Out Tag Out (LOTO) electrical kit # 241360-001 released for field ordering								
	Classification:		Informational		Mandatory		Safety Alert	☐ Preventive Maintenance Impact		
			Warranty Impact	٥	Purchase Parts		No Charge For Parts expires / / Reference this TB# when ordering NC parts.			
	Application:	To LOTO equipment as required during installation or service operations								
	Parts/Documents:	241360-001 Kit, ELECTRICAL LOTO HS0067 Procedure – Energy Control Program								
Ī	Attachments:	1	none				_			

NOTICE:

Always work with the customer's safety officer to comply with their safety protocol. Most customer sites will issue/loan "their" LOTO kit with instruction for its use. Return the kit at completion of the job.

To ensure employee safety when working around electrical systems it is important de-energize or release stored energy and to prevent exposure to electrical hazards.

To augment customer safety protocol - all field service personnel are responsible to possess and use their personal electrical LOTO kit as required per section 13 of procedure HS0067.

INSPECTION:

Field service personnel are to inspect their tool box at the beginning and end of each job to ensure their LOTO kit is complete.

To replace missing items or an entire kit, contact your manager to assist with a priority parts order.



241360-001 Kit, Electrical LOTO

kit includes:

(1) 1-1/2" Steel Hasp, (1) Padlock, (1) Single Pole Breaker Lockout, (1) Lockout Wallet Card, (1) Carrying Case, (1) Tag, (1)